


Revision date: January 2022

Version: 2.0

GC BEO 25 W

Dibenzoyl Peroxide 75% with water

CAS Registry Number 94-36-0



Tel.: +39 0362 1547305

Fax: +39 039 8942754

GC BEO 25 W is an excellent catalyst for free radical polymerization process, used in the production of polystyrene, polyvinyl chloride and methacrylates and for the cross-linking of unsaturated polyester resins. Its catalytic activity will depend on several different factors including type of monomer, temperature and presence or absence of accelerators or inhibitors.

PHYSYCO-CHEMICAL PROPERTIES

Appearance White Powder

Assay, % 75±2 Bulk density, g/cm3 0.63

HANDLING AND STORAGE: The processing and use of GC BEO 25 W requires adequate technical and

professional knowledge. Please consult safety data sheet for further handling,

storage and toxicity information.

GC BEO 25 W has to be stored in a tightly sealed original container in a cool and

well-ventilated area, away from direct sunlight.

PACKAGING: Standard packaging of GC BEO 25 W is 20 Kg cartons.

IMPORTANT NOTE Some plastic additives, fillers or pigments can have a significant influence on the

properties of the end product. Before using this product, please be informed. Machine stop at high temperature could create degradation of polymers. Please

clean with neutral polymers.

DISCLAIMER:

Information contained in this document is provided to the best of our knowledge and is considered true as per revision date. We do not accept any liability for loss and damage that may occur from the improperly use of this information and for the use against the safety legal requirements and patent rights. This specification does not release the customer from the obligation to check the product as to its suitability for intended area of usage.